	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	8	(air adj1 bearing) same (fixed near2 shaft)same insert$5 same rotat$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:15	
2	BRS	L2	18	(cant$5 or tilt$5 or inclin$5) same microcube$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:18	
3	BRS	L3	327	(((cant$5 or tilt$5 or inclin$5) with (edge$20 or $15parallel or (edge adj3 parallel))) same $10cube$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:34	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	IS&R	L4	599	(359/529-533).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:24	
5	IS&R	L5	45997	(428/98-221).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:34	
6	BRS	L6	46516	4 or 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:35	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L7	66	3 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 11:35	